

SPECIFICATIONS

Gritty e-mopeds.







Designed and made in Italy



USB port for smartphone



TRACTION	
Motor	Askoll brushless permanent magnet electric motor
Power	2.200 W*
Max speed	45 km/h*
Max torque	130 Nm (to the wheel)
Regeneration	Yes
Transmission	Pulley w/ poly-V belt
REMOVABLE BATTERY	

REMOVABLE BATTERY	
Туре	Lithium-ion (1 pack per series)
Capacity	Max. 1.400 Wh
Voltage	54 V - 26,1 Ah
Weight	Max 7,6 kg
Charging time (0-100%)	About 3 hours
Range (up to)	42 km*

GENERAL INFORMATION	
Dashboard	Digital - multicolor
Frame	Two-seater - Steel tubular
Front lighting	LED
Back lighting	LED
Direction indicator lighting	LED
Stand	Central
Reverse	Available


	CYCLE PARTS
Front suspension	Hydraulic telescopic fork
Back suspension	Mono shock absorber
Brakes	Front: hydraulic disk Ø 190 mm
	Back: hydraulic disk Ø 190 mm
Front tyre	90 / 80 - 16"
Back tyre	110 / 10 - 16"
Wheelbase	1.245 mm
Seat height	760 mm
Weight in running order	73,4 kg* (without batteries)
Max. weight	260 kg (vehicle + driver + additional load)

^{*} According to EC 168 / 2013

CONNECTIVITY	
Module	Bluetooth Low Energy with dedicated app

AVAILABLE COLOURS







SPECIFICATIONS

Gritty e-mopeds.







Designed and made in Italy



USB port for smartphone



TRACTION	
Motor	Askoll brushless permanent magnet electric motor
Power	2.700 W* (with two batteries with the same recharge levell)
Max speed	45 km/h*
Max torque	158 Nm (to the wheel)
Regeneration	Yes
Transmission	Pulley w/ poly-V belt
REMOVABLE BATTERY	
Typo	Lithium ion (2 marks now sovies)

REMOVABLE BATTERY	
Туре	Lithium-ion (2 packs per series)
Capacity	Max. 2.800 Wh (2 packs per series)
Voltage	54 V - 26,1 Ah (for each battery pack)
Weight	Max 7,6 kg (for each battery pack)
Charging time (0-100%)	About 6 hours
Range (up to)	87 km*

GENERAL INFORMATION	
Dashboard	Digital - multicolor
Frame	Two-seater - Steel tubular
Front lighting	LED
Back lighting	LED
Direction indicator lighting	LED
Stand	Central
Reverse	Available

	CYCLE PARTS
Front suspension	Hydraulic telescopic fork
Back suspension	Mono shock absorber
Brakes	Front: hydraulic disk Ø 190 mm
	Back: hydraulic disk Ø 190 mm
Front tyre	90 / 80 - 16"
Back tyre	110 / 10 - 16"
Wheelbase	1.245 mm
Seat height	760 mm
Weight in running order	73 kg* (without batterie)
Max. weight	260 kg (vehicle + driver + additional load)

^{*} According to EC 168 / 2013

CONNECTIVITY	
Module	Bluetooth Low Energy with dedicated app

AVAILABLE COLOURS









SPECIFICATIONS

Gritty e-mopeds.







Designed and made in Italy



USB port for smartphone



	TRACTION
Motor	Askoll brushless permanent magnet electric motor
Power	2.700 W* (with two batteries with the same recharge levell)
Max speed	66 km/h*
Max torque	130 Nm (to the wheel)
Regeneration	Yes
Transmission	Pulley w/ poly-V belt
REI	MOVABLE BATTERY
Туре	Lithium-ion (2 packs per series)
Capacity	Max. 2.800 Wh (2 packs per series)
Voltage - amps	54 V - 26,1 Ah (for each battery pack)
Weight	7,6 kg (for each battery pack)
Charging time (0-100%)	About 6 hours
Range (up to)	87 km*
GENERAL INFORMATION	
Dashboard	Digital - multicolor
Frame	Two-seater - Steel tubular
Fuent limbting	LED

GENERAL INFORMATION	
Dashboard	Digital - multicolor
Frame	Two-seater - Steel tubular
Front lighting	LED
Back lighting	LED
Direction indicator lighting	LED
Stand	Central
Reverse	Available

	CYCLE PARTS
Front suspension	Hydraulic telescopic fork
Back suspension	Mono shock absorber
Brakes	Front: hydraulic disk Ø 220 mm
	Back: hydraulic disk Ø 190 mm
	Service brake: CBS Combined Braking System
Front tyre	90 / 80 - 16"
Back tyre	110 / 10 - 16"
Wheelbase	1.245 mm
Seat height	760 mm
Weight in running order	73 kg* (without batteries)
Max. weight	260 kg (vehicle + driver + additional load)

^{*} According to EC 168 / 2013

CONNECTIVITY	
Module	Bluetooth Low Energy with dedicated app

AVAILABLE COLOURS







2.700 W*



87 km*



66 km/h*



Real italian style - designed in collaboration with





